

<u>Facility Technical Specifications</u> <u>as of January 2020</u>



19 Clinton Ave Albany, NY 12207 Phone: 518-465-3335 Fax: 518-427-0151 www.palacealbany.org



To all artists, presenters, and technical representatives,

This document specifies the technical information required in preparation for an event at the Palace Performing Arts Center. This document does not reflect a full understanding of engagement between the **Palace Performing Arts Center (PPAC)** and the **Company**. The package merely serves as a guide to the facility and does not supersede the contract document.

Table of Contents

Introduction

Contacts

Support Spaces

<u>Main Theatre</u>

Electrics, Sound & Video

Lobby

What's Around

Directions

Parking









Introduction to the Palace Theatre

The Palace Theatre, a grand cultural and entertainment facility in the heart of Albany, New York, first

opened its doors in October 1931. Built during the Depression, the Palace was the largest theatre in a city already noted for a number of other opulent movie houses. Today, the Palace Theatre remains the sole survivor of this period of entertainment and continues to make history with a widely diverse offering of popular acts and cultural events.

Originally an RKO movie house presenting vaudeville acts between feature films, the Palace Theatre boasts an ornate Austrian Baroque design with "atmospheric" elements in the auditorium. The Palace Theatre's 2,708 seats are an



ideal size for popular acts, such as Melissa Etheridge, Jerry Seinfeld, M.O.E, Bruce Springsteen, Bob Dylan, Roy Orbison, and Aretha Franklin, theatrical events Stomp, Chicago, Tap Dogs, Grease, and A Christmas Carol, gospel shows, community events, like Albany's First Night Concerts, Mayoral Inauguration's, Graduations, Armed Forces Bands; local dance studio recitals, daytime children's presentations, and even boxing. Arguably the most notable concert event took place at the Palace Theatre in April of 1965 when the now legendary Rolling Stones appeared here on their very first tour of the United States. Ticket prices were \$2 each.



The revitalization of the Palace Theatre has been a major priority of the City of Albany to help create a new energy for the downtown arts and entertainment district. Beginning in 2002, interior renovations completed in the first phase included all new carpeting, a stage curtain, fabric wall treatments, fresh paint on the ceiling and throughout the theatre, general public improvements and the refurbishment of over 2,800 seats. Phase Two renovations called for a new electrical system to power the stage. And of course the most obvious of our renovations (also in Phase Two) is our new marquee! It is a state-of-the-art full color replica of the original marquee designed in

1931. The new marquee fabrication and installation was made possible by a grant from Housing and Urban Development (sourced through the office of the Mayor) and a grant provided through the Downtown Business Improvement District.



Contact Information

Contact	Office	E-mail
Billy Piskutz	518-465-3335	wpiskutz@palacealbany.org
Executive Director	x115	wpiskutz@palacealDally.org
Danny Taylor	518-465-3335	dtaylor@palacealbany.org
Senior Director of Operations & Programming	x126	dtayioi@palacealbally.org
John Seltzer	518-465-3335	jseltzer@palacealbany.org
Production Manager	x112	jsettzer@paracearbarry.org
Dylan Neary	518-465-3335	
FOH Operations Manager / Merch Contact	x109	dneary@palacealbany.org
David Quinn	518-465-3335	dowing analogoalbany org
Director of Facilities	x116	dquinn@palacealbany.org
Bill O'Donnell	518-465-3335	hadappall@palagalhapy.org
Front of House Manager	x101	bodonnell@palacealbany.org
Sean Allen	518-465-3335	
Marketing Director	x111	sallen@palacealbany.org
Jimmy Anziano	518-427-1580	Anziano14@aol.com
I.A.T.S.E. Local 14 Union		
John VanVoris		johnvanvoris@aol.com
A.F. of M Local Musicians Union		joinivanvons@aoi.com
Derek Smith		
Albany Symphony Orchestra	518-465-4755	dereks@albanysymphony.com
Anthony Johnson	518-465-3335	
Box Office Director	X127	ajohnson@palacealbany.org
Karyn Dyer		
Director of Community Engagement	518-465-3335	kdyer@palacealbany.org
and Signature Events	X124	



Albany Symphony



Support Spaces

General Description:

Below is a brief description of the facilities at the Palace Performing Arts Center. If you require further information please contact our Director of Operations, Danny Taylor at <u>dtaylor@palacealbany.org</u>. For technical questions please contact our Production Manager, John Seltzer at <u>iseltzer@palacealbany.org</u>.

Loading Door:

A single truck loading area is located on North Pearl Street., which is on the right side of the theatre doors and perpendicular to Clinton Avenue. All items can be moved in by a ramp from truck, ramp to stage or rolled through the door. Door dimensions are 7' 9" x 6' 10", the ramp is 17' long and 6' 9" wide with a 3' height change and the stage is 3' 5" below the sidewalk.



Palace Theatre Loading Dock



Storage:

There is storage available in the basement (under the stage) accessible by orchestra lift and in rear alleyway.

Ladders & Lift:

PPAC has several ladders in house varying in size and (1) 30'-0" Genie lift. There are no elevators backstage in the building. A chain hoist is in place to move cases from stage level to each dressing room level.

Production Office:

A production office is located on level one, with 2 phone lines and high speed internet via Cat6 or Wi-Fi.

Wardrobe:

Washers & dryers are located on level 3.

Dressing Rooms:

There are 15 dressing rooms total all located stage left. All rooms are equipped with tables, chairs, mirrors, high speed Wi-Fi, phones and sinks. Showers are currently available on levels 1, 2, and the stage level.

\succ	Level 1	(Red Floor)	80, 90, 90, 100, 144 sq ft	
\triangleright	Level 2	(Yellow Floor)	80, 90, 90, 100, 144 sq ft	
\triangleright	Level 3	(Silver Floor)	80, 90, 90, 100, 144 sq ft	
that	the building is 8	0 + vears old but all the re	estrooms and facilities are in r	roner v

Please note that the building is 80+ years old but all the restrooms and facilities are in proper working order.

Catering:

Two areas are available for catering needs (1 prep/serve & 1 for serve) located in our basement level. The main area can hold up to 80 people and the second can hold up to 22. Please contact John Seltzer, if you require these areas or suggestions to utilize our excellent catering partners.





Green Room Level 3



Star Dressing Room Level 1




Dressing Room/Office Level 1




Main Theatre

Seating Capacity:

The Palace Theatre has a seating capacity of 2,807 (Orchestra 1505 - Balcony 1302).



Orchestra Seat Map



Balcony Seat Map



19 Clinton Avenue Albany, NY 12207 Phone: 518-465-3335 / Fax: 518-427-0151 www.palacealbany.org

Proscenium Opening:

The proscenium opening is 64' wide and 43' high with a dead hung border that hangs down approximately 15" below the top of the arch.

The Stage:

The overall stage dimensions:

- >33' from edge of stage to back wall edge
- >31' from edge of stage to downstage edge of column
- ➢Orchestra Pit: 49' 6" wide (rail to rail) // 11' wide at center line
- ≻Stage to grid: 84' high
- Stage to pan: 78' high

Stage floor is tongue and groove oak. The surface is natural wood color with the exception of the pit surface, which is black in color.

No nails, stage screws or lags are allowed without prior consent of the Palace Theatre's Facilities Director and Operations Director.




The main stage with rep Audio Stacks & Cluster with the Main Rag in



F.O.H Rigging Points:

There are 4 points located downstage of pit located within cloud gunnel and 6 points in proscenium arch near at Center line, SL & SR rated at 2000 lbs each.







Palace Theatre FOH rigging positions shown with box truss and PA from the 2015 Grace Potter tour.



The Grid:

The grid has a height of 84' deck to walking surface of grid. It is accessed via interior ladder system or exterior fire escape stairs.

Fly System & Lineset Schedule:

Counterweight system: Single Purchase

Length of pipes 70'0"

Pipe O.D 1 7/8" truss batten

Truss Batten is 500lbs total weight Leaving 500lbs loading capacity and is operated from stage right

No extensions available

The fire curtain must be kept clear at all times.





	Distance to							
Lineset	Plaster FT-IN	IN TRIM	OUT TRIM	House Hang	Show Hang	SIZE	WEIGHT	NOTES
-	0'-6"			Fire Pocket				
0				House Curtain	NOTAVAILABLE			
А				Teaser				
1	2-2		84'0"	ASO Electric				
2	2-8	3'-0"	84'0"					
3	3-4	3'-0"	84'0"	Projector Screen	NOT AVAILABLE			
4	4-0	3'-0"	84'0"					
5	4-6		84'0"	ASO Ceiling Front				Stored Verticl
6	5-2		84'0"	1st Electric				
7	5-8	3'-0"	84'0"					
8	6-4		84'0"					
9	7-0		84'0"					
10	7-6	3'-0"	84'0"					
11	8-2		84'0"	Border				
12	8-8		84'0"	Leg (SL)				
13	9-4		84'0"	Leg (SR)				
14	10-0		84'0"	ASO Ceiling Back				
15	10-6		84'0"	#1 X-Ray				
16	11-2		84'0"	ASO Ceiling Front				Stored Verticl
17	11-8		84'0"					
18	12-4	3'-0"	84'0"	2nd Electric				
19	13-0		84'0"					
20	14-6		84'0"	Split Black	Cannot Move			
21	15-2	3'-0"	84'0"	Movie Legs				
22	15-8		84'0"	Border				
23	16-4		84'0"	Legs (SL) & (SR)				
24	17-0	3'-0"	84'0"					
25	17-6	3'-0"	84'0"	Border				
26	18-2		84'0"	ASO Ceiling Back				
27	18-8		84'0"	#2 X-Ray				
28	19-4		84'0"	ASO Ceiling Front				Stored Verticl
29	20-0		84'0"	3rd Electric				
30	20-6	3'-0"	84'0"					
31	21-2	3'-0"	84'0"					
32	21-8	3'-0"	84'0"	Border				
33	22-4	3'-0"	84'0"	Legs (SL) & (SR)				
34	23-0	3'-0"	84'0"					
35	23-6		84'0"					
36	24-2		84'0"					
37	24-8		84'0"	#3 X-Ray				
38	25-4		84'0"	SR Leg				
39	26-0		84'0"	CYC Lights				
40	26-6		84'0"	<u> </u>				
41	27-2	3'-0"	84'0"					
42	27-8	3'-0"	84'0"					
43	28-4		84'0"	Split Black	Cannot Move			



Act Curtain:

A burgundy colored main rag with a dead hung border above. (Traveler type operated from stage right).

Orchestra Pit:

The orchestra pit extends 11'-2 $\frac{3}{4}$ " from the edge of the stage, drops to 14'-11 $\frac{1}{4}$ " from stage level and is 4'-5" to the first seat. It is 49"- $\frac{6}{4}$ " wide (including organ lift) and is fully adjustable by screwed lift. A removable 4' wide opening is available on stage left for access from floor into pit. The orchestra pit cannot be used for event seating.



Palace Theatre's Backstage Ball.



A company event function



19 Clinton Avenue Albany, NY 12207 Phone: 518-465-3335 / Fax: 518-427-0151 www.palacealbany.org

Electrics, Sound & Video

Company Switches:

PPAC has four 3 phase power tie ins on the main stage. Lighting has (2) 400 amp circuit located stage right while Audio has (1) 200 amp circuit located stage right and (1) 400 amp circuit isolated ground on located stage left.

Houselights and dimming:

PPAC utilizes ETC Sensor 1 racks that control house and stage lights. There are ETC Unison Panels located around the venue and all units can be controlled from a lighting console. ETC Net2 Nodes are also located around the venue. PPAC dimmers are currently (3) 96x2.4k D20E for stage, & (1) 96x2.4k D20HR for houselights. All dimmers are at 120V power.

Lighting Rails:

There are 2 lighting rails in front of the balcony capable of hanging 15 lights per side. It is approximately 75' from rail to proscenium at center line.

Clear Coms:

There are 2 dry lines run to the spot booth. Please keep in mind the Palace Theatre **has a limited number of its own** headsets and power supplies





Projector

PPAC owns (1) Christie CP2220 DLP Digital Cinema Projector with a 2.5/85.0-121.6mm 4K Zoom lens, a Doremi Dolby ShowVault, and a front projection screen with a display of 18'x40'.

Additionally, PPAC can accommodate HDMI, VGA, DVI, Apple Display, Blue-Ray, or DVD to be played in our system from backstage or FOH.

The Palace also houses one of the few operating 35mm film projectors in the Capital District. PPAC is an **I.A.T.S.E Local 14** supported venue for projections.




Stage Lights:

The inventory of lights available is as follows:

Unit	Degree/Type	Quantity	
ETC Source Four	10	12	
ETC Source Four	19	18	
ETC Source Four	26	24	
ETC Source Four	36	18	
ETC Source Four	50	8	
ETC Source Four	PAR EA	14	&13 hard-wired in Loge
Altman Borderlights	PAR 56-B	24	6 lamps each
Altman Cyclights	Broad Cyc	8	(3 Cell)
Altman Fresnel	6"	18	
ETC Expression 3	Lighting Board	1	

Mix Locations:

Located at center rear orchestra (12' wide area) with standing room approximately 120' ft FOH to stage.





	1	Palace Theater 9 Clinton Ave, Albany, NY 122	Lighting Tech: D. Tarbassian, IATSE Local 14
Ln39: Cycs () Ln37:3X (24)		Bock & Roll Plot 3 - Cycl*3 + Cycl*3 350**3 + PSBh*3 + PSBh*3	- <mark>Cyp</mark> *3 - <mark>Cyp*</mark> 3 - Cyp* 3
Ln29:3E (20' Ln27:2X (18' Ln20 (14'6')	ע ע ע ע גע ע ע גע 1°) <mark>או ע ע גע ע ע גע ע גע גע גע גע גע גע גע גע</mark>	・・36 26 ・・+・・2 (35 · · VN VN · · · · · · M · 35 35 25 25 · · ∴ → Kit ↓
Ln17:2E (11 Ln13: 1X (10	$\rightarrow \rightarrow \rightarrow \rightarrow \leftarrow \rightarrow$	<mark>26 36</mark> + 3 ビン ビ 26) ⁴ 3 3	26 - VN VN - - - 36 36 50 50 - <td< td=""></td<>
Ln6: 1E (5'2' Ln1: ASO (2'	<u>→→→→ 11 ⊬</u> ⊻	26 26 26 26 + 26 26 2	5 25 <mark>VN VN</mark> 25 25 <mark>38 38 50 50</mark> * ビン 主主
Ln A (0'6") Ln 0 (0'0") VAL		I I I I I BORDER ======= WWW MAIN RAG (TRAVELER) trip "3 ↓ (Val) + P3G Strip "3 CtrLn	
	BBHL @ 73' from DC Image: Strategy of the str	19 Cinton Ave, Albeny NY 1220 36 = Souce4 36° A 30 = Souce4 30° 6° = Altman 6°Fresnel 19° Booms = 3 areas OR 3 washes	BBHR () 83' from DC BBHR () 83' from DC BBHR () 83' from DC BBHR () 83' from DC F Batton/rail Rail A
<u>Notes:</u>	 Color denotes suggested grouping of washes/specials. Lighting fixtures may need to be hung, circuted, focused The Palace Thartre does not own any DMX Fixtures The Palace Thartre has limited gel selection. Specific color may be purchased 	6) House lig 7) Some rail	nmers are 20A @120v hts are controled DR lights may be needed for sponsors. Please counsult with management. n independent line set between the Main Rag & Ln1.

Suggested R&R Plot

1 of 1

9/9/2014

<u>R&R Plot</u>



																			I	hea	tre/(Con	edy	Plo	t																				
_n39: C -	-		-	-	-	-	Сус	: *3		-	Сус	*3		- 0	/c *	3	-	Су	c *3		+	Сус	: *3		- 0	Cyc *:	3	-	Cy	/ c *3		-	Су	c *3		-	-	-	-	-	-	-			
.n37:3) -	-	- P	56h*:	3				ŀ	P56	h*3				-	P	56h*:	3				+	P5 6	h*3				ŀ	R	6 h *:	3				ŀ	P5	6h*3					-	-			
)	€ Ω	X	Ω									_			Х	ίΩ			Ι			Ω	X										L		Ω	X	Ω	X					
n29:31 -	-	- 3	<mark>6</mark> 36	5 <mark>26</mark>	26	-	Ρ	-	-	Ρ	-	-	-	- P			26	6 26	-	-	+	-	-	26 2	26		F	-	-	-	-	Ρ	-	-	Р	-	26	26	36	<mark>36</mark>	-	-			
		-	→ ;	• ->	\rightarrow		7			7					÷		-	\rightarrow \rightarrow						← •	-		+	-				2			2		←	←	←	←					
.n27:2) -	-	- P	56v*:	3				-	P56	v*3				-	P	56v*:	3				+	P56	v*3				-	R	56v*(3				-	P5(ov*3					-	-			
n20 (14'6	"))	€ Ω	X	Ω												X	ίΩ						Ω	X												Ω	X	Ω	X					
.n17:2l -	-	- 3	6 36	6 26	26	-	-	-	-	-	-	-	- 1	PP			26	6 26	-	-	+	-	-	26 2	26		P	P	-	-	-	-	-	-	-	-	26	26	36	36	-	-			
		_	→;	• →	\rightarrow								+	- <			_	→			T			← ↔	-		/	, _	÷								←	←	←	←					
.n15: 1 -	6"	- P	56v*(3				-	P56	v*3				-	P	56v*:	3				+	P56	v*3				1.	R	6v*(3				-	P5	v*3					-	6"			
	H	_	€ Ω		Ω												X	ίΩ						ΩΞ	X											-		¥	Ω	¥		_			
_n6: 1E -	-	_	6 36		26		-			50	50	-	- 1	PP			26	1	36	50	+	50	36		26		P	P	-		50	50	-	-	-	-				36		-			
			→;														_				·				_										-	-		 ←	↔	~	-	_			
_n1: ASO	(2'2")													+													, ,				-				-	-	-	Ė	÷,	, T	-	_			
	6"	- 50	ni -	6"	-		-	6"	١.	36	_	6"	_		6		36	<u>.</u>	6"		26		6"		36	- 6				6"	١.	36		6"	-	-	-	6"	_	50i		6"			
_n A (0'6")	-		_	0				-		7		<u>↓</u>		-	1	_	7	_	Û ↓		<u></u>		û Ţ		<u>ر</u>	Ŭ 	_		-	Û ↓		50		¢		-	-			501	-	û Ţ			
n 0 (0'0")	Ŧ	- '	-	¥	-			Ţ		/		Ŧ	+	+	2	<u>k</u>	ŕ	-	¥		 	-	Ŧ	-	`	1	:	-	-	Ť	-	Ň		¥	-	-		<u>‡</u>		Ì	-	¥			
/AL		P56 S	trin *	:3 		0	(le/	D5/	S Str	ip *3	: 1		()/:	al) PS	56.5	trin *	κ <u>γ</u> ι	-	(Val)	-	D56	Strip	×۲ ا			(\/a		56 54	trip *	3		0	//al)	D5(6 Str	-ip *3	<u>ــــــــــــــــــــــــــــــــــــ</u>	-	(V	al)	_			
		1000		<u> </u>		(1.50		ip o	' ↓		(12				01		(<u> </u>	L'I CtrLr		Outp	1	·		(•4	.,			<u> </u>		(1.50			· ↓		(*	aı)	_			
		BBHL	@ 7	'5' fr	nm F	n C								Fr	ont	H		Fre	ont It	-			ide L	t		D	ow n	slt							-	-	B	RHF	2 @ :	85' fr	rom				
			6	7										Ē							1				-						-				-	BBHR @ 85' from DC									
	/	/ Y_	<u> </u>	7	-			-					_		R 33		_	R	202	_	1		R09/F	(51	_		R80		R52	-	-	-	-	-	-	-		~	$\overline{\langle}$						
		/%/	~	, 										L	20'	1					1		R6	5			R27											-	X	20	\backslash				
		/ ୬	.2																																				Vo	Ke l					
		8	2	7						Ke	ev:	10=	Souc	:e4 1	0°				F	- So	ouce	:4 Pa	ar			A	rrow	VS=	Focu	us di	recti	on							75	0 70	$\overline{\mathbf{N}}$				
	′	8	0	7										:e4 1					5	0= S	0110	01 E	00															7	1	10 10					
	/	\mathcal{F}	7	7	-	-	-				_					-	-								-	X		en c										-				_			
	4	/ +/	1/		-									ce4 2		_	10						esnel R 3 и			-	Bi	attor	Vrai	-	-	-	-		-	-		-	X	. 4	\rightarrow	_			
			-		-							30=	5000	:e4 3	0		19	DUU		= 36	al ea	5 U	r J M	Vasin	5	-	-	_	-	-	-	-	-		-	-			$\left - \right $		+	_			
		_		_	-			-			_		-	-	-	_	-	-	-	-	-	_	_	-	-	_	-	-	-	-			-	-	-	-					_	_			
			Rail F		-	-	-	-		Rail		_	_	_	-	_	_	-	_					_	_	_	_	_	-	_	_	ail A	-	-	-	-	-		Rail	A	_				
			F	Rail E	-	_	_	_	_	_	-		_	_	_		_	-		_	CL		_	_		_	_	_		_	_	-	-	-	-	-	х		В		_				
		_	-	R	ail D	х	19	10	19			Rail	_											-				_			_	-	19	10	19	Х	Rai	C	\square	\vdash	_	_			
			_	_	_					Tor	men	ors	P :	x		PF	PF	P	P	S4	Q	Ρ	P	Ρ	Ρ	P	X		To	orme	nors				-	_					-				
														_	-	_		_													_				_	_		\vdash			\rightarrow				
IOTES:		olor d					-		-					_	_	_		_					,			nmers					/				_	_		\vdash			\rightarrow				
		ightin	-							-				ed	_			_							-	nts ar																			
	2) T	he Pa	lace	Thar	tre o	does	not	t ow	n ar	ny Di	VIX F	ixtur	es										7) S	ome	rail I	lights	ma	y be	nee	ded	fors	spor	sor	s. Pl	eas	э со	unsı	ult w	ith r	mana	gem	nent			
		he Pa																								n ind																			

Theatre/Comedy Plot



Sound Information:

Quantity	Туре	Notes
4	SM 58	
4	Wireless Hand Held	
8	Wireless Body Mics	
10	Wireless Receivers	(Not all wireless can be used at once)
1	Switch Senheizer	
2	DI's	
2	Monitor Wedges	
2	CD Players	
2 CH	2CH Compression	
2 CH	2 CH EQ	
1	Behringer X32	Current v 1.12
5	Martin WT UB's	Under balcony fill speakers

Press Conferences:

PPAC has (1) Eiki U4700 LED projector and a 9'x10' Fast fold Screen.

PPAC has (1) Yamaha EX312SE mixer and (2) Yamaha B12 Speakers for press conferences.



Other Information:

PPAC is ADA compliant with a Williams Sound wireless FM listening system with 6 personal receivers.

The Palace Theatre is an **I.A.T.S.E 14** supported theatre. You may contact the business agent, Jimmy Anziano at 518-427-1580, to review any tech requirements you may have **PRIOR** to loading in.

A merchandise area is available in the main lobby of the theater. Please contact Dylan Neary, FOH Operations Manager for more information.



Merchandise area



19 Clinton Avenue Albany, NY 12207 Phone: 518-465-3335 / Fax: 518-427-0151 www.palacealbany.org

What's Around

Hotels:

Hampton Inn & Suites 518-432-7000 25 Chapel St, Albany NY 12210 0.1 mi. from PPAC

Fairfield Inn & Suites 518-434-7410 74 State St, Albany NY 12207 0.4 mi. from PPAC

Marriott-Renaissance Albany Hotel 518-396-8471 144 State St, Albany NY 12207 0.5 mi. from PPAC

TownePlace Suites 518-860-1500 22 Holland Ave, Albany 12209 1.7 mi. from PPAC

Restaurants:

Albany Pump Station: 518-447-9000 www.evansale.com

French Press Café: 518-275-0478 www.frenchpresscafeandcrepes.com

Angelo's 677 Prime: 518-427-7463 www.677prime.com

Yono's Restaurant: 518-436-7747 www.yonos.com

Ama Cocina: 518-776-4550 www.amacocina.com

The City Beer Hall 518-449-2337 www.thecitybeerhall.com/menu-food/ Hilton 518-462-6611 40 Lodge St, Albany NY 12207 0.3 mi. from PPAC

Holiday Inn Express 518-434-4111 300 Broadway, Albany NY 12207 0.7 mi. from PPAC

Albany Morgan State House Inn 518-427-6063 393 State St, Albany NY 12210 1.2 mi. from PPAC

Hilton Garden Inn 518-396-3500 62 New Scotland Ave, Albany NY 12208 2.2 mi. from PPAC

The Olde English Pub: 518-434-6533 www.theoldeenglish.com

McGeary's Restaurant: 518-463-1455 www.mcgearyspub.com

DP American Brasserie: 518-436-3737 www.dpbrasserie.com

Dawn's Victory Café: 518-463-9113 www.dawnsvictorysportscafe.com

The Hollow Bar & Kitchen: 518-426-8550 www.thehollowalbany.com



Directions

From North:

From the Northway (I-87), drive south to exit 1E onto I90 eastbound. About 5 miles to the 787 interchange. Follow signs for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses**- Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From South:

New York State Thruway (90) North to Exit 23. Go through toll. Follow signs for 787 North. Once on 787 North, take the exit marked as Rt. 9 North, Rt.20 west, Downtown Albany. This will place you on a road that parallels 787. Follow signs for Clinton Avenue and take that ramp. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses**- Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From the East:

Mass Turnpike West (90) to NY State Thruway (90) West. Drive on 90 to exit B1. Go through the toll and arrive on 90 East drive approximately 14 miles to 787 interchange. Take exit for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses**- Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.


From the West:

New York State Thruway, (90) to Exit 24. Go through the toll and follow signs for 90 East. About 5 miles to the 787 interchange. Follow signs for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses**- Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From Vermont:

Rt 9 West out of Bennington. This becomes Rt 7 in NY. Drive on Rt 7 through Troy, NY. Cross Hudson River on bridge and follow signs for 787 South. Follow 787 South past the I90 interchange. About a mile past the I90 interchange, you will see the Clinton Avenue exit. Take this exit. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses**-Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.


Google maps can be used to search for directions.





Parking:

Requirements must be conveyed to the PPAC Staff at least <u>one week</u> prior to event to coordinate parking with the City of Albany. There is adequate curbside parking for at least *5 vehicles* (trucks and/or buses).



Above is a map of the parking available for any event.

Sections in yellow are no-parking zones for fire or safety services & disabled individuals.

Sections in blue are the loading dock zones

Additional zones may be requested if necessary.

Sections in red are zones available for parking through our Facilities and Operations Director's.



19 Clinton Avenue Albany, NY 12207 Phone: 518-465-3335 / Fax: 518-427-0151 www.palacealbany.org

Tour Vehicle Parking Reference

