



Facility Technical Specifications
as of January 1st, 2026



19 Clinton Ave

Albany, NY 12207

Phone: 518-465-3335

Fax: 518-427-0151

www.palacealbany.org

To all artists, presenters, and technical representatives,

This document specifies the technical information required in preparation for an event at the Palace Performing Arts Center. This document does not reflect a full understanding of engagement between the **Palace Performing Arts Center (PPAC)** and the **Company**. The package merely serves as a guide to the facility and does not supersede the contract document.

Table of Contents

Introduction

Contacts

Support Spaces

Main Theatre

Electrics, Sound & Video

Lobby

What's Around

Directions

Parking





19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

Introduction to the Palace Theatre

The Palace Theatre, a grand cultural and entertainment facility in the heart of Albany, New York, first opened its doors in October 1931. Built during the Depression, the Palace was the largest theatre in a city already noted for several other opulent movie houses. Today, the Palace Theatre remains the sole survivor of this period of entertainment and continues to make history with a widely diverse offering of popular acts and cultural events.

Originally an RKO movie house presenting vaudeville acts between feature films, the Palace Theatre boasts an ornate Austrian Baroque design with "atmospheric" elements in the auditorium. The Palace Theatre's 2,708 seats are an



ideal size for popular acts, such as Melissa Etheridge, Jerry Seinfeld, M.O.E, Bruce Springsteen, Bob Dylan, Roy Orbison, and Aretha Franklin, theatrical events Stomp, Chicago, Tap Dogs, Grease, and A Christmas Carol, gospel shows, community events, like Albany's First Night Concerts, Mayoral Inauguration's, Graduations, Armed Forces Bands; local dance studio recitals, daytime children's presentations, and even boxing. Arguably the most notable concert event took place at the Palace Theatre in April of 1965 when the now legendary Rolling Stones appeared here on their very first tour of the United States. Ticket prices were \$2 each.



The revitalization of the Palace Theatre has been a major priority of the City of Albany to help create a new energy for the downtown arts and entertainment district. Beginning in 2002, interior renovations completed in the first phase included all new carpeting, a stage curtain, fabric wall treatments, fresh paint on the ceiling and throughout the theatre, general public improvements and the refurbishment of over 2,800 seats. Phase Two renovations called for a new electrical system to power the stage. And of course, the most obvious of our renovations (also in Phase Two) is our new marquee! It is a state-of-the-art full color replica of the original marquee designed in

1931. The new marquee fabrication and installation was made possible by a grant from Housing and Urban Development (sourced through the office of the mayor) and a grant provided through the Downtown Business Improvement District.



19 Clinton Avenue Albany, NY 12207
 Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

Contact Information

| Contact | Office | E-mail |
|---|----------------------|-----------------------------|
| Kevin Johnson <i>Executive Director</i> | 518-465-3335 x115 | kjohnson@palacealbany.org |
| Dylan Neary <i>Director of Operations & Facilities/CCO</i> | 518-465-3335 x109 | dneary@palacealbany.org |
| Corey Gilchrist <i>Operations Manager/Merch Contact</i> | 518-465-3335 X125 | cgilchrist@palacealbany.org |
| Bill O'Donnell <i>Front of House Manager</i> | 518-465-3335 x101 | bodonnell@palacealbany.org |
| Sean Allen <i>Marketing Director</i> | 518-465-3335 x111 | sallen@palacealbany.org |
| Eric Radden <i>Ticketing & Promotions Director</i> | 518-465-3335 X127 | eradden@palacealbany.org |
| Derek Smith <i>Albany Symphony Orchestra</i> | 518-465-4755 | dereks@albanysymphony.com |
| Bobby Igoe <i>I.A.T.S.E. Local 14 Union</i> | 518-526-9814 | BobbyIgoe@gmail.com |



Albany Symphony



19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

Support Spaces

General Description:

Below is a brief description of the facilities at the Palace Performing Arts Center. If you require further information and for technical questions, please contact our Director of Operations & Facilities, Dylan Neary at dneary@palacealbany.org.

Loading Door:

A single truck loading area is located on North Pearl Street., which is on the right side of the theatre doors and perpendicular to Clinton Avenue. All items can be moved in by a ramp from truck, ramp to stage or rolled through the door. Door dimensions are 7' 9" x 6' 10", the ramp is 17' long and 6' 9" wide with a 3' height change and the stage is 3' 5" below the sidewalk.



Palace Theatre Loading Dock

Storage:

There is storage available in the basement (under the stage) accessible by orchestra lift and in rear alleyway.

Ladders & Lift:

PPAC has several ladders in house varying in size and (1) 30'-0" Genie lift.

There are no elevators backstage in the building.

A chain hoist is in place to move cases from stage level to each dressing room level.

Production Office:

A production office is located on level one, with 2 phone lines and high-speed internet via Cat6 or Wi-Fi.

Wardrobe:

Washers & dryers are located on level 3.

Dressing Rooms:

There are 15 dressing rooms total all located stage left. All rooms are equipped with tables, chairs, mirrors, high speed Wi-Fi, phones and sinks. Showers are currently available on levels 1, 2, and the stage level.

- Level 1 (Red Floor) 80, 90, 90, 100, 144 sq ft
- Level 2 (Purple Floor) 80, 90, 90, 100, 144 sq ft
- Level 3 (Green Floor) 80, 90, 90, 100, 144 sq ft

Please note that the building is 80+ years old but all the restrooms and facilities are in proper working order.

Catering:

Two areas are available for catering needs (1 prep/serve & 1 for serve) located in our basement level. The main area can hold up to 80 people and the second can hold up to 22. Please contact Dylan Neary, if you require these areas or suggestions to utilize our excellent catering partners.



Park Playhouse's Production of Pinkalicious



Green Room Level 3



Star Dressing Room Level 1



Dressing Room/Office Level 1




19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org


Main Theatre

Seating Capacity:

The Palace Theatre has a seating capacity of 2,807 (Orchestra 1505 - Balcony 1302).



Orchestra Seat Map



Balcony Seat Map

Proscenium Opening:

The proscenium opening is 64' wide and 43' high with a dead hung border that hangs down approximately 15" below the top of the arch.

The Stage:

The overall stage dimensions:

- 33' from edge of stage to back wall edge
- 31' from edge of stage to downstage edge of column
- Orchestra Pit: 49' 6" wide (rail to rail) // 11' wide at center line
- Stage to grid: 84' high
- Stage to pan: 78' high

Stage floor is tongue and groove oak. The surface is natural wood color apart from the pit surface, which is black in color.

No nails, stage screws or lags are allowed without prior consent of the Palace Theatre's Facilities Director and Operations Director.






The main stage with rep Audio Stacks & Cluster with the Main Rag in



19 Clinton Avenue Albany, NY 12207
 Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

F.O.H Rigging Points:

There are 4 points located downstage of pit located within cloud gunnel and 6 points in proscenium arch near at Center line, SL & SR rated at 2000 lbs. each.



Palace Theatre FOH rigging positions shown with box truss and PA from the 2015 Grace Potter tour.



The Grid:

The grid has a height of 84' deck to walking surface of grid. It is accessed via interior ladder system or exterior fire escape stairs.

The steel grid over the stage supports the theatrical rigging and provides a work platform. The downstage edge of the grid ends 2'-9" from the proscenium wall to allow an opening for the fire curtain and house curtain. The grid also ends 1'-10 1/2" from the rear wall of the stage.

The grid has five loft wells that are intended to support the loft blocks for the theatrical rigging. One loft well is located at centerstage with the remaining loft wells are spaced 16'-0" apart. The channels forming the loft wells do extend into the wall to brace the grid.

The loft wells are formed by two channels C12x20.7 spaced 10 inches apart. The channels span in the up-down stage direction with each pair of channels supported by two steel hangers from the roof beams. One hanger is located at the downstage end of the grid, 2'-9" from the proscenium wall and the other hanger is 8'-6" from the rear wall. The maximum span between the hangers is 19'-2". Beams span between the loft wells at spacing varying from 6'-4" to 6'-9". These beams are 8-inch channels (C8x11.5). These beams support 3-inch channels that are laid flat and spaced 5 inches apart to form the grid floor. Visual observation showed the grid framing to be in good condition. No signs of damage or deterioration were noticed.

The grid hangers are C10x15.3 channels that are supported from the roof. The hangers are connected to the roof and grid with a minimum of six 3/4-inch rivets at each connection.

The roof has steel girders that span in the up-down stage direction and are spaced 15'-8" apart. Cross stage beams running between the main roof girders are spaced 7'-0" apart. The girders and beams are steel beams encased in concrete fire proofing.

The roof is a reinforced concrete slab. Based on the span and construction details, the slab appears to be about six inches thick. The original built up roofing has been replaced with an adhered membrane.

The concrete slabs and beam encasement were in good condition. There were no cracks or other signs of structural distress visible. The spacing of the grid hangers means the grid adds relatively little stress to the roof beams. Combined with the weight reduction from replacing the original built-up roof with a membrane, the roof appears adequate for the maximum grid loads.

The weight or dead load of the grid is 17 PSF. This weight includes the channels, beams, sprinklers, and electrical conduit. In addition to its own weight and the loads from the counterweight rigging, the grid floor can support a maximum uniformly distributed live load of 55 PSF. This value is limited by the 8-inch channel beams spanning between the loft wells.

The 55 PSF live load is slightly less than the 60 PSF live load recommended for theatre grids in ASCE 7-16 Minimum Design Loads and Associated Criteria for Buildings and Other Structures. This standard also recommends an additional load of 250 pounds per foot at the loft wells. Based on the 1000-pound arbor capacity, the maximum loft block load is 300 pounds per foot and this higher load was used to determine the allowable grid loads.

After accounting for the dead loads, the loads from the counterweight rigging, and an allowance for personnel working on the grid; the grid has additional capacity that may be used to support chain hoists and other items that may be dead hung from the grid. The total allowable load for this other rigging is 20,000 pounds.

The loads noted in this report correspond to a static load. Chain hoists impose a dynamic or shock load when they start and stop. For analysis, the static loads were increased by 15 per cent to account for these dynamic loads.

At the loft wells, a total of 2500 pounds may be applied to the channel on either side of the loft well in each span, i.e., one load in the 19'-7" span between the grid hangers and one load in the 8'-7" span upstage. If the load is evenly distributed to both channels with a short pipe or similar beam, the loads may be 5000 pounds per point. Multiple smaller loads may be applied to the loft wells provided the total of the loads does not exceed these limits.

Between the loft wells, one 2000-pound load may be applied to any of the 8- inch channels spanning between the loft blocks. These loads can be attached by slings around the channels or with pipes or hoist stands above the grid.

Between the 8-inch channels, a 1500-pound load can be supported on the 3- inch grid channels provided the load is distributed over a four-foot width of channels. This load distribution may be accomplished by a hoist stand or a 2 Loft Well and Grid Hanger Palace Theatre - 5 - pipe or spreader beam placed on the grid. If a pipe beam is used, the pipe should be at least a 3-inch schedule 40 steel pipe.

Fly System & Line set Schedule:

Counterweight system:
Single Purchase


Length of pipes 70'0"

Pipe O.D 1 7/8" truss batten

Truss Batten is 500lbs total weight
Leaving 500lbs loading capacity and is
operated from stage right

No extensions available

The fire curtain must be always kept clear.



The current PPAC line set schedule:

| Lineset | Distance to Plaster FT-IN | IN TRIM | OUT TRIM | House Hang | Show Hang | NOTES |
|---------|---------------------------|---------|----------|-------------------|---------------|-----------------|
| - | 0'-6" | | | Fire Pocket | | |
| 0 | | | | House Curtain | NOT AVAILABLE | |
| A | | | | Teaser | | |
| 1 | 2-2 | | 84'0" | ASO Electric | | |
| 2 | 2-8 | 3'-0" | 84'0" | | | |
| 3 | 3-4 | 3'-0" | 84'0" | Projector Screen | NOT AVAILABLE | |
| 4 | 4-0 | 3'-0" | 84'0" | | | |
| 5 | 4-6 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 6 | 5-2 | | 84'0" | 1st Electric | | |
| 7 | 5-8 | 3'-0" | 84'0" | | | |
| 8 | 6-4 | | 84'0" | | | |
| 9 | 7-0 | | 84'0" | | | |
| 10 | 7-6 | 3'-0" | 84'0" | | | |
| 11 | 8-2 | | 84'0" | Border | | |
| 12 | 8-8 | | 84'0" | Leg (SL) | | |
| 13 | 9-4 | | 84'0" | Leg (SR) | | |
| 14 | 10-0 | | 84'0" | ASO Ceiling Back | | |
| 15 | 10-6 | | 84'0" | #1 X-Ray | | |
| 16 | 11-2 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 17 | 11-8 | | 84'0" | | | |
| 18 | 12-4 | 3'-0" | 84'0" | 2nd Electric | | |
| 19 | 13-0 | | 84'0" | | | |
| 20 | 14-6 | | 84'0" | Split Black | Cannot Move | |
| 21 | 15-2 | 3'-0" | 84'0" | Movie Legs | | |
| 22 | 15-8 | | 84'0" | Border | | |
| 23 | 16-4 | | 84'0" | | | |
| 24 | 17-0 | 3'-0" | 84'0" | | | |
| 25 | 17-6 | 3'-0" | 84'0" | Border | | |
| 26 | 18-2 | | 84'0" | ASO Ceiling Back | | |
| 27 | 18-8 | | 84'0" | #2 X-Ray | | |
| 28 | 19-4 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 29 | 20-0 | | 84'0" | 3rd Electric | | |
| 30 | 20-6 | 3'-0" | 84'0" | | | |
| 31 | 21-2 | 3'-0" | 84'0" | | | |
| 32 | 21-8 | 3'-0" | 84'0" | Border | | |
| 33 | 22-4 | 3'-0" | 84'0" | | | |
| 34 | 23-0 | 3'-0" | 84'0" | | | |
| 35 | 23-6 | | 84'0" | | | |
| 36 | 24-2 | | 84'0" | | | |
| 37 | 24-8 | | 84'0" | #3 X-Ray | | |
| 38 | 25-4 | | 84'0" | SR Leg | | |
| 39 | 26-0 | | 84'0" | CYC Lights | | |
| 40 | 26-6 | | 84'0" | | | |
| 41 | 27-2 | 3'-0" | 84'0" | | | |
| 42 | 27-8 | 3'-0" | 84'0" | | | |
| 43 | 28-4 | | 84'0" | Full Black | | |



19 Clinton Avenue Albany, NY 12207
 Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

| Lineset | Distance to Plaster FT-IN | IN TRIM | OUT TRIM | House Hang | Show Hang | NOTES |
|---------|---------------------------|---------|----------|-------------------|---------------|-----------------|
| - | 0'-6" | | | Fire Pocket | | |
| 0 | | | | House Curtain | NOT AVAILABLE | |
| A | | | | Teaser | | |
| 1 | 2-2 | | 84'0" | ASO Electric | | |
| 2 | 2-8 | 3'-0" | 84'0" | | | |
| 3 | 3-4 | 3'-0" | 84'0" | Projector Screen | NOT AVAILABLE | |
| 4 | 4-0 | 3'-0" | 84'0" | | | |
| 5 | 4-6 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 6 | 5-2 | | 84'0" | 1st Electric | | |
| 7 | 5-8 | 3'-0" | 84'0" | | | |
| 8 | 6-4 | | 84'0" | Border | | |
| 9 | 7-0 | | 84'0" | Stage Legs | | |
| 10 | 7-6 | 3'-0" | 84'0" | | | |
| 11 | 8-2 | | 84'0" | Border | | |
| 12 | 8-8 | | 84'0" | Leg (SL) | | |
| 13 | 9-4 | | 84'0" | Leg (SR) | | |
| 14 | 10-0 | | 84'0" | ASO Ceiling Back | | |
| 15 | 10-6 | | 84'0" | #1 X-Ray | | |
| 16 | 11-2 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 17 | 11-8 | | 84'0" | 2nd Electric | | |
| 18 | 12-4 | 3'-0" | 84'0" | | | |
| 19 | 13-0 | | 84'0" | Border | | |
| 20 | 14-6 | | 84'0" | Split Back | | |
| 21 | 15-2 | 3'-0" | 84'0" | | | |
| 22 | 15-8 | | 84'0" | Border | | |
| 23 | 16-4 | | 84'0" | Legs | | |
| 24 | 17-0 | 3'-0" | 84'0" | | | |
| 25 | 17-6 | 3'-0" | 84'0" | | | |
| 26 | 18-2 | | 84'0" | ASO Ceiling Back | | |
| 27 | 18-8 | | 84'0" | #2 X-Ray | | |
| 28 | 19-4 | | 84'0" | ASO Ceiling Front | | Stored Verticle |
| 29 | 20-0 | | 84'0" | 3rd Electric | | |
| 30 | 20-6 | 3'-0" | 84'0" | | | |
| 31 | 21-2 | 3'-0" | 84'0" | | | |
| 32 | 21-8 | 3'-0" | 84'0" | | | |
| 33 | 22-4 | 3'-0" | 84'0" | | | |
| 34 | 23-0 | 3'-0" | 84'0" | | | |
| 35 | 23-6 | | 84'0" | Border | | |
| 36 | 24-2 | | 84'0" | ASO Back | | |
| 37 | 24-8 | | 84'0" | #3 X-Ray | | |
| 38 | 25-4 | | 84'0" | Border | | |
| 39 | 26-0 | | 84'0" | - | | |
| 40 | 26-6 | | 84'0" | Leg | | |
| 41 | 27-2 | 3'-0" | 84'0" | | | |
| 42 | 27-8 | 3'-0" | 84'0" | | | |
| 43 | 28-4 | | 84'0" | Full Black | | |

Act Curtain:

A burgundy-colored main rag with a dead hung border above. (Traveler type operated from stage right).

Orchestra Pit:

The orchestra pit extends 11'-2 3/4" from the edge of the stage, drops to 14'-11 1/4" from stage level and is 4'-5" to the first seat. It is 49"- 6 1/4" wide (including organ lift) and is fully adjustable by screwed lift. A removable 4' wide opening is available on stage left for access from floor into pit. The orchestra pit cannot be used for event seating.

Palace Theatre's Backstage Ball.



A company event function



Electrics, Sound & Video

Company Switches:

PPAC has four 3 phase power tie ins on the main stage.
Lighting has (2) 400-amp circuit located stage right while Audio has (1) 200-amp circuit located stage right and (1) 400 amp circuit isolated ground on located stage left.

Houselights and dimming:

PPAC utilizes ETC Sensor 1 racks that control house and stage lights. There are ETC Unison Panels located around the venue and all units can be controlled from a lighting console. ETC Net2 Nodes are also located around the venue. PPAC dimmers are currently (3) 96x2.4k D20E for stage, & (1) 96x2.4k D20HR for houselights. All dimmers are at 120V power.

Lighting Rails:

There are 2 lighting rails in front of the balcony capable of hanging 15 lights per side. It is approximately 75' from rail to proscenium at center line.

Clear Coms:

There are 2 dry lines run to the spot booth. Please keep in mind the Palace Theatre **has a limited number of its own** headsets and power supplies



Projector

PPAC owns (1) Christie CP2220 DLP Digital Cinema Projector with a 2.5/85.0-121.6mm 4K Zoom lens, a Doremi Dolby ShowVault, and a front projection screen with a display of 18'x40'.

Additionally, PPAC can accommodate HDMI, VGA, DVI, Apple Display, Blue-Ray, or DVD to be played in our system from backstage or FOH.

The Palace also houses one of the few operating 35mm film projectors in the Capital District. PPAC is an **I.A.T.S.E Local 14** supported venue for projections.

Stage Lights:

The inventory of lights available is as follows:

| Unit | Degree/Type | Quantity | |
|---------------------|----------------|----------|------------------------|
| ETC Source Four | 10 | 12 | |
| ETC Source Four | 19 | 18 | |
| ETC Source Four | 26 | 24 | |
| ETC Source Four | 36 | 18 | |
| ETC Source Four | 50 | 8 | |
| ETC Source Four | PAR EA | 14 | &13 hard-wired in Loge |
| Altman Borderlights | PAR 56-B | 24 | 6 lamps each |
| Altman Cyclights | Broad Cyc | 8 | (3 Cell) |
| Strand Fresnel 1K | 6" | 18 | |
| ETC Ion XE20 | Lighting Board | 1 | |


Spot Booth:

PPAC Houses 3 Lycian 1293X3K Long Throw Follow Spots.

PALACE THEATRE CENTER MIX POSITION

120FT. FROM STAGE

16' x 12'





Mix Locations:

Located at center rear orchestra (12' wide area) with standing room approximately 120' ft FOH to stage.



Palace Theater

Lighting Tech: D. Tarbassian, IATSE Local 14



NOTES:

- 1) Color denotes suggested grouping of washes/specials.
- 2) Lighting fixtures may need to be hung, circuted, focused
- 3) The Palace Theatre does not own any DMX fixtures
- 4) The Palace Theatre has limited gel selection. Specific color may be purchased
- 5) House dimmers are 20A @120v
- 6) House lights are controlled DR
- 7) Some rail lights may be needed for sponsors. Please consult with management.
- 8) There is an independent line set between the Main Rag & Lnd.



Sound Information:

| Quantity | Type | Notes |
|----------|--------------------|--|
| 4 | SM 58 | |
| 4 | Wireless HandHeld | |
| 2 | Wireless Body Mics | |
| 6 | Wireless Receivers | (Not all wireless can be used at once) |
| 1 | Switch Senheizer | |
| 2 | DI's | |
| 2 | Monitor Wedges | |
| 2 | CD Players | |
| 2 CH | 2CH Compression | |
| 2 CH | 2 CH EQ | |
| 1 | Behringer X32 | Current v 1.12 |
| 5 | Martin WT UB's | Under balcony fill speakers |

Press Conferences:

PPAC has (1) Eiki U4700 LED projector and a 9'x10' Fast fold Screen.

PPAC has (1) Yamaha EX312SE mixer and (2) Yamaha B12 Speakers for press conferences.





19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

Other Information:

PPAC is ADA compliant with a Williams Sound wireless FM listening system with 12 personal receivers.

The Palace Theatre is an **I.A.T.S.E 14** supported theatre.

A merchandise area is available in the main lobby of the theater. Please contact Corey Gilchrist Operations Manager for more information.



Merchandise area

What's Around

Hotels:

Hampton Inn & Suites

518-432-7000
25 Chapel St, Albany NY 12210
0.1 mi. from PPAC

Fairfield Inn & Suites

518-434-7410
74 State St, Albany NY 12207
0.4 mi. from PPAC

Marriott-Renaissance Albany Hotel

518-396-8471
144 State St, Albany NY 12207
0.5 mi. from PPAC

TownePlace Suites

518-860-1500
22 Holland Ave, Albany 12209
1.7 mi. from PPAC

Hilton

518-462-6611
40 Lodge St, Albany NY 12207
0.3 mi. from PPAC

Holiday Inn Express

518-434-4111
300 Broadway, Albany NY 12207
0.7 mi. from PPAC

Albany Morgan State House Inn

518-427-6063
393 State St, Albany NY 12210
1.2 mi. from PPAC

Hilton Garden Inn

518-396-3500
62 New Scotland Ave, Albany NY 12208
2.2 mi. from PPAC



19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

Restaurants:

ALBANY FAVORITES

The Olde English Pub: 518-434-6533

www.theoldeenglish.com

McGeary's Restaurant: 518-463-1455

www.mcgearyspub.com

Angelo's 677 Prime: 518-427-7463

www.677prime.com

Yono's Restaurant: 518-436-7747

www.yonos.com

The Hollow Bar & Kitchen: 518-426-8550

www.thehollowalbany.com

BARBECUE RESTAURANT

Dinosaur Bar-B-Que 377 River St., Troy

<https://www.dinosaurbarbque.com/troy/>

CHAIN RESTAURANT

Tipsy Moose Tap & Tavern

<https://tipsymoosetavern.com/>

Delmonico's Italian Steakhouse

1553 Central Avenue, Albany

<https://www.delmonicositaliansteakhouse.com/menu-albany/>

Texas Roadhouse, 105 Wolf Rd Suite B, Albany

<https://www.texasroadhouse.com/locations/429-albanyny>

Five Guys, 241 Route 9 West Glenmont

<https://restaurants.fiveguys.com/241-route-9-west>

CHICKEN WINGS

Ralph's Tavern, 1328 Central Ave., Colonie

<https://ralphstaverninc.com/>

The Towne Tavern, 2850 Route 43, Averill Park

<https://www.thetownetavern.com/>

The Ale House, 680 River St., Troy

<https://www.alehousetroy.com/>

The City Beer Hall 518-449-2337

www.thecitybeerhall.com/menu-food/

DP American Brasserie: 518-436-3737

www.dpbrasserie.com

Dawn's Victory Café: 518-463-9113

www.dawnsvictorysportscafe.com

CHINESE RESTAURANT

Ala Shanghai Chinese Cuisine, 468 Troy-Schenectady Road, Latham

<https://alashanghai.net/>

Rain Modern Chinese, 259 Lark St., Albany

<https://www.rainalbany.com/>

Gold Coin Restaurant, 1360 New Scotland Road, Slingerlands

<https://www.goldcoinrestaurant.com/>

Tea House Asian Bistro, 270 Delaware Ave., Delmar

<https://www.teahouseasianbistro.com/>

DINER

Alexis Diner, 294 N. Greenbush Road, North Greenbush

<https://www.alexisdiner.us/>

Blue Ribbon Diner, 1801 State St., Schenectady

<https://blueribbonrestaurant.com/>

Latham 76 Diner, 722 Loudon Road, Latham

<https://latham76diner.com/>

Halfmoon Diner, 231 Grooms Road, Clifton Park

<https://halfmoondiner.com/>



19 Clinton Avenue Albany, NY 12207
Phone: 518-465-3335 / Fax: 518-427-0151
www.palacealbany.org

INDIAN OR PAKISTANI RESTAURANT

Karavalli, 9 Johnson Road, Latham
<https://www.karavalli.com/>
Shalimar, 180 Delaware Ave., Delmar
<https://www.shalimardelmar.com/>
Maharaja Indian Restaurant,
10 Wolf Road, Colonie
<https://maharajaofalbany.com/>
Great Indian Kitchen Restaurant & Bar, 1652
Western Ave., Guilderland
<https://www.gikusa.com/>

ITALIAN RESTAURANT

D'Raymonds, 269 Osborne Road, Loudonville
<https://www.draymonds.com/>
Caffe Italia, 662 Central Ave., Albany
<https://www.caffeitalialbany.com/>
Cafe Capriccio, 49 Grand St., Albany
<https://www.cafecapriccio.com/>

JAPANESE RESTAURANT

Sake Japanese Steakhouse 611-B Troy-
Schenectady Road, Latham
<https://www.sakelatham.com/>
Koto Japanese Restaurant, 260 Wolf Road,
Latham
<http://www.kotoalbany.com/>
Hana Japanese Steak House, 1620 Western Ave.,
Guilderland
<http://www.hanaalbany.com/>

MEXICAN, CENTRAL OR SOUTH AMERICAN RESTAURANT

El Loco Mexican Café, 465 Madison Ave., Albany
<https://www.ellocomexicancafe.com/>
Toro Cantina, 111 Wolf Road, Colonie
<https://www.torocantina.com/>
El Charro, 952 Troy-Schenectady Road, Latham
<https://www.elcharroalbany.com/>
Margarita City Mexican Grill and Bar, 1118
Central Ave., Colonie
<https://www.margarita-city.com/>

PIZZA

DeFazio's Pizzeria, 266 Fourth St., Troy
<https://defaziospizza.com/>

SOUTHERN RESTAURANT

The Cuckoo's Nest, 234 Western Ave., Albany
<https://cuckoosnestalbany.com/>
Allie B's Cozy Kitchen, 353 Clinton Ave., Albany
<https://alliebscozykitchen.llc/>

TACOS

El Loco Mexican Café, 465 Madison Ave., Albany
<https://www.ellocomexicancafe.com/>
Toro Cantina, 111 Wolf Road, Colonie
<https://www.torocantina.com/>
FoCo Taco, 374 Delaware Ave., Delmar
<https://www.focotacos.com/>

THAI RESTAURANT

Sweet Basil Thai Restaurant, 370 Delaware Ave.,
Albany
<https://www.sweetbasilthaialbany1.com/home>
Celadon Thai Restaurant, 680 Loudon Road,
Latham
<https://www.celadonthaialbany.com/>
SriSiam, 337 Columbia Turnpike, East Greenbush
<https://www.srisiamthaifood.com/>

VEGAN OR VEGETARIAN RESTAURANT

Iron Gate Café 182 Washington Ave., Albany
<https://irongatecafe.com/>
Pearl's Bagel & Bakery, 16 Picotte Drive, Albany
<https://pearlsalbany.com/>
Rooted & Rind, 14 Booth Road, Delmar
<https://www.rootedandrind.com>
Wizard Burger, 74 N. Pearl St., Albany
<https://www.wizardburger.com/>

VIETNAMESE RESTAURANT

Van's Vietnamese Restaurant, 307 Central Ave.,
Albany
<https://vansrestaurantny.com/>
Pho Yum, 1558 Central Ave., Colonie
<https://www.pho-yum.com/>
Banh Mi 47, 74 N. Pearl St. Albany
<http://banhmi47.com/>
Charlie's Street Food, 1214 Troy-Schenectady
Road, Latham
<https://charliesstreetfood.com/>

Directions

From North:

From the Northway (I-87), drive south to exit 1E onto I90 eastbound. About 5 miles to the 787 interchange. Follow signs for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses-** Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From South:

New York State Thruway (90) North to Exit 23. Go through toll. Follow signs for 787 North. Once on 787 North, take the exit marked as Rt. 9 North, Rt.20 west, Downtown Albany. This will place you on a road that parallels 787. Follow signs for Clinton Avenue and take that ramp. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses-** Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From the East:

Mass Turnpike West (90) to NY State Thruway (90) West. Drive on 90 to exit B1. Go through the toll and arrive on 90 East drive approximately 14 miles to 787 interchange. Take exit for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses-** Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.


From the West:

New York State Thruway, (90) to Exit 24. Go through the toll and follow signs for 90 East. About 5 miles to the 787 interchange. Follow signs for 787 South. Once on 787, drive one mile to the Clinton Avenue exit 4B. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses-** Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

From Vermont:


Rt 9 West out of Bennington. This becomes Rt 7 in NY. Drive on Rt 7 through Troy, NY. Cross Hudson River on bridge and follow signs for 787 South. Follow 787 South past the I90 interchange. About a mile past the I90 interchange, you will see the Clinton Avenue exit. Take this exit. At the base of the ramp are traffic lights. You will be able to see the Palace Theatre ahead of you on the right, one short block up. **Trucks/Buses-** Make right onto Broadway, left onto Wilson St. then left onto North Pearl St.

[Google maps can be used to search for directions.](#)



Parking:

Requirements must be conveyed to the PPAC Staff at least **one week** prior to event to coordinate parking with the City of Albany. There is adequate curbside parking for at least *5 vehicles* (trucks and/or buses).



Above is a map of the parking available for any event.


Sections in yellow are no-parking zones for fire or safety services & disabled individuals.

Sections in blue are the loading dock zones

Additional zones may be requested if necessary.

Sections in red are zones available for parking through our Facilities and Operations Director's.

Tour Vehicle Parking Reference



**Tour Personnel Entry
Security Office
Shore Power**

Load-In Door & Ramp

**All vehicles must be parked
facing the Clinton Ave side of the
building, indicated by the arrow
below.**



**(The truck in the above image is
facing the wrong direction)**